

DATA-CENTERED CROWDSOURCING WORKSHOP

DR. SLAVA NOVGORODOV

KATHY RAZMADZE

TEL AVIV UNIVERSITY 2016/2017

ADMINISTRATIVE NOTES

Course goal:

Learn about crowd-data sourcing and prepare a final project (improvement of existing problem's solution / solving new problem)

Group size: 4 students

Requirements: DataBases (SQL) is recommended, Web programming (we will do a short overview), (optionally) Mobile development (we will not teach it)

ADMINISTRATIVE NOTES (2)

Schedule:

- **2 intro meetings**
 - 1st meeting – overview of crowdsourcing
 - 2nd meeting – open problems, possible projects
- **Mid-term meeting**
- **Final meeting and projects presentation**
- **Dates:**
<http://slavanov.com/teaching/crowd2021b/>

WHAT IS CROWDSOURCING?

Crowdsourcing = Crowd + Outsourcing

Crowdsourcing is the act of sourcing tasks traditionally performed by specific individuals to a group of people or community (crowd) through an open call.

CROWDSOURCING

Main idea: Harness the crowd to a “task”

- Task: solve bugs
- Task: find an appropriate treatment to an illness
- Task: construct a database of facts
- ...

Why now?

- Internet and smart phones ...
We are all connected, all of the time!!!

THE CLASSICAL EXAMPLE

WIKIPEDIA

English

The Free Encyclopedia

3 907 000+ articles

日本語

フリー百科事典

799 000+ 記事

Español

La enciclopedia libre

879 000+ artículos

Русский

Свободная энциклопедия

838 000+ статей

Italiano

L'enciclopedia libera

905 000+ voci

Português

A enciclopédia livre

718 000+ artigos

Deutsch

Die freie Enzyklopädie

1 383 000+ Artikel

Français

L'encyclopédie libre

1 230 000+ articles

Polski

Wolna encyklopedia

887 000+ haseł

中文

自由的百科全書

429 000+ 條目



GALAXY ZOO

EN · Galaxy Zoo is a ZOO NIVERSE project

...just like MOON ZOO

GALAXY ZOO

HUBBLE

[Home](#) [The Story So Far](#) [How To Take Part](#) [Classify Galaxies](#) [Explore Galaxies](#) [The Science](#) [FAQ](#) [Forum](#) [Blog](#)
[Contact Us](#)

Pictures



MORE



▼ Dr. David Baker



Repeat Introduction

Clear Labels

Several **sheets** are lining up in this protein, but one is out of place. Pull the misaligned **sheet** back in to form **hydrogen bonds**! Don't forget you can control-click to lock, and use Shake and Wiggle.

Progress: of 10000

Level 4-2: A Sheet Out of Place

► Chat



Shake Sidechains Wiggle Backbone Clear Locks Reset Puzzle

▲ Actions ► History ► File

► Pull Tool

AND EVEN MORE




Mars

Clickworkers


Sample result

We try to have several people cover each region on Mars so that we can compute a consensus, throwing out any mistaken or frivolous entries and averaging out the inaccuracies. Here's an example of one region selected as a test case for intensive coverage:

Here are all the clicks we received for this region. (The red ones were rejected for non-circularity or size.)



Here is the consensus. Green circles have a high degree of agreement. Red circles have little agreement, and yellow ones are marginal.



It may be hard to see some of the fainter craters in the marked-up images. Here's the image with nothing in the way:

(<http://clickworkers.arc.nasa.gov/sample-results>)

CROWDSOURCING: UNIFYING PRINCIPLES

Main goal

- “Outsourcing” a task to a crowd of users

Kinds of tasks

- Tasks that can be performed by a computer, but inefficiently
- Tasks that can't be performed by a computer


Challenges

- How to motivate the crowd?
- Get data, minimize errors, estimate quality
- Direct users to contribute where is most needed \ they are experts

MOTIVATING THE CROWD



Altruism



Fun

amazon mechanical turk
Artificial Intelligence
Make Money
by working on HITs

HITs - *Human Intelligence Tasks* - are individual tasks that you work on. [Find HITs now.](#)

As a Mechanical Turk Worker you:

- Can work from home
- Choose your own work hours
- Get paid for doing good work

Find an interesting task → **Work** → **Earn money**

Money

CROWD DATA SOURCING

Outsourcing data collection to the crowd of Web users

- When people can provide the data
- When people are the only source of data
- When people can efficiently clean and/or organize the data



Two main aspects [DFKK'12]:


- Using the crowd to create better databases
- Using database technologies to create better crowd datasourcing applications

[DFKK'12]: Crowdsourcing Applications and Platforms: A Data Management Perspective, A.Doan, M. J. Franklin, D. Kossmann, T. Kraska, VLDB 2011

MY FAVORITE EXAMPLE

ReCaptha

- 100,000 web sites
- 40 million words/day



triangular

omeple

Type the two words:

reCAPTCHA™
stop spam.
read books.

Submit

The words above come from scanned books.
By typing them, you help to digitize old texts.

CROWDSOURCING RESEARCH GROUPS

An incomplete list of groups working on Crowdsourcing:

- **Qurk (MIT)**
- **CrowdDB (Berkeley and ETH Zurich)**
- **Deco (Stanford and UCSC)**
- **CrowdForge (CMU)**
- **HKUST DB Group**
- **WalmartLabs**
- **MoDaS (Tel Aviv University)**

...



Crowdfunding

Financial contributions from online investors, sponsors or donors to fund for-profit or non-profit initiatives or enterprises.



Collective Knowledge

Development of knowledge assets or information resources from a distributed pool of contributors.



Tools

Applications, platforms and tools that support collaboration, communication and sharing among distributed groups of people.



Collective Creativity

Tapping of creative talent pools to design and develop original art, media or content.



Cloud Labor

Leveraging of a distributed virtual labor pool, available on-demand to fulfill a range of tasks from simple to complex.



Community Building

Development of communities through active engagement of individuals who share common passions, beliefs or interests.



Civic Engagement

Collective actions that address issues of public concern.



Open Innovation

Use of sources outside of the entity or group to generate, develop and implement ideas.

CROWDSOURCING MARKETPLACES



MECHANICAL TURK

Please Copy Text from Business Card:



Please **select/crop** company logo or image from the business card above. Click + Drag to select the company logo.

Your Current Quality Score is:

If you have a high enough score, you will be [?](#) **--** considered for promotion to a Trusted Worker.

Name [?](#)

Title Company

Email Website

Address: [?](#)

Address Line 1

[add line](#)

City State Zip Code

Phone: [click here if not a U.S. phone number ?](#)

Work Ext.

Mobile

Fax

[add phone](#)

MECHANICAL TURK

Requestor places Human Intelligence Tasks (HIT)

- Min price: \$0,01
- Provide expiration date and UI
- # of assignments

Requestor approve jobs and payments

- Special API

Workers choose jobs, do them and getting money

USES OF HUMAN COMPUTATION

- **Data cleaning/integration (ProPublica)**
- **Finding missing people (Haiti, Fossett, Gray)**
- **Translation/Transcription (SpeakerText)**
- **Word Processing (Soylent)**
- **Outsourced insurance claims processing**
- **Data journalism (Guardian)**

TYPES OF TASKS

<i>Task Type</i>	<i>Characteristics</i>	<i>Examples</i>
Micro Tasks	Generally very high volume, extremely low pay rate per task, and heavily automated throughout the process.	<ul style="list-style-type: none">- find email addresses or company websites- translate a product description to another language- find prices for competitive products- choose a category from a new catalog structure
Macro Tasks	Generally high volume, low rate of pay, mostly automated throughout the process.	<ul style="list-style-type: none">- write a product review- test this website and provide feedback- fill in the missing research citations in this report- build a list of universities conducting energy research
Simple Projects	Low volume or single tasks with moderate rate of pay, often requiring some direct contact with the worker.	<ul style="list-style-type: none">- design a branded website- prepare an outline for a conference presentation- contact all confirmed attendees for an event
Complex Projects	Single project with high rate of pay, typically requiring a substantial amount of time and direct interaction with the worker.	<ul style="list-style-type: none">- program a software module- design a new edible adhesive- develop a new security algorithm- develop an eCommerce website- inbound/outbound calls (sales, mrkt research, support)

Source: "Paid Crowdsourcing", SmartSheet.com

OVERVIEW OF RECENT RESEARCH

- **Crowdsourced Databases, Query evaluation, Sorts/joins, Top-K**
 - CrowdDB, Qurk, Deco,
- **Crowdsourced Data Collection/Cleaning**
 - AskIt, QOCO,.....
- **Crowd sourced Data Mining**
 - CrowdMining, OASSIS, ...
- **Image tagging, media meta-data collection**
- **Crowdsourced recommendations and planning**

CROWD SOURCED DATABASES

- **Motivation:**

Why we need crowdsourced databases?

- **There are many things (queries) that cannot be done (answered) in classical DB approach**
- **We call them: DB-Hard queries**

- **Examples...**

DB-HARD QUERIES (1)

Company_Name	Address	Market Cap
Google	Googleplex, Mtn. View CA	\$210Bn
Intl. Business Machines	Armonk, NY	\$200Bn
Microsoft	Redmond, WA	\$250Bn

SELECT Market_Cap **FROM** Companies **WHERE** Company_Name = 'I.B.M'

Result: 0 rows

Problem: Entity Resolution

DB-HARD QUERIES (2)

Company_Name	Address	Market Cap
Google	Googleplex, Mtn. View CA	\$210Bn
Intl. Business Machines	Armonk, NY	\$200Bn
Microsoft	Redmond, WA	\$250Bn

SELECT Market_Cap **FROM** Companies **WHERE** Company_Name = 'Apple'

Result: 0 rows

Problem: Closed World Assumption

DB-HARD QUERIES (3)

SELECT Image **FROM** Images

WHERE Theme = 'Business Success' **ORDER BY** relevance

Result: 0 rows

Problem: Missing Intelligence



CROWDDB

Use the crowd to answer DB-Hard queries

- Use the crowd when:
 - Looking for new data (Open World Assumption)
 - Doing a fuzzy comparison
 - Recognize patterns
- **Don't** use the crowd when:
 - Doing anything the computer already does well

CLOSED WORLD VS OPEN WORLD

OWA

- Used in Knowledge representation

CWA

- Used in classical DBMS

Example:

- Statement: Marry is citizen of France
- Question: Is Paul citizen of France?
 - CWA: No
 - OWA: **Unknown**

CROWDSQL – CROWD COLUMN

DDL Extension:

```
CREATE TABLE Department (  
    university STRING ,  
    name STRING ,  
    url CROWD STRING ,  
    phone STRING ,  
    PRIMARY KEY ( university , name )  
);
```

CROWDSQL – EXAMPLE #1

INSERT INTO Department (university, name) **VALUES** (“TAU”, “CS”);

Result:

University	Name	Url	Phone
TAU	CS	CNULL	NULL

CROWDSQL – EXAMPLE #2

```
SELECT url FROM Department WHERE name = “Math”;
```

Side effect of this query:

- Crowdsourcing of CNULL values of Math departments

CROWDSQL – CROWD TABLE

DDL Extension:

```
CREATE CROWD TABLE Professor(  
    name STRING PRIMARY KEY ,  
    email STRING UNIQUE ,  
    university STRING ,  
    department STRING ,  
    FOREIGN KEY ( university , department )  
        REF Department ( university , name )  
);
```

CROWDSQL – SUBJECTIVE COMPARISONS

Two functions

- CROWDEQUAL
 - Takes 2 parameters and asks the crowd to decide if they are equals
 - $\sim=$ is a syntactic sugar
- CROWDORDER
 - Used when we need the help of crowd to rank or order results

CROWDEQUAL EXAMPLE

```
SELECT profile FROM department WHERE name ~="CS";
```

To ask for all "CS" departments, the following query could be posed. Here, the query writer asks the crowd to do entity resolution with the possibly different names given for Computer Science in the database.

Are the following entities the same?

Math == CS

CROWDORDER EXAMPLE

```
SELECT p FROM Picture WHERE subject = "Golden Gate Bridge"  
ORDER BY CROWDORDER (p, "Which picture visualizes better %subject");
```

The following CrowdSQL query asks for a ranking of pictures with regard to how well these pictures depict the Golden Gate Bridge.

Which picture visualizes better
"Golden Gate Bridge"



Submit

UI GENERATION

Clear UI is key to quality of answers and response time

SQL Schema to auto-generated UI

Please fill out the missing **department** data


University	<input type="text" value="UC Berkeley"/>
Department	<input type="text" value="Department of Music"/>
PhoneNb	<input type="text"/>

You must ACCEPT the HIT before you can submit the results.

QUERY PLAN GENERATION

Query: **SELECT** * **FROM** d Professor p, Department d


WHERE d.name = p.dep **AND** p.name = "Karp"



DEALING WITH OPEN-WORLD


Focus Right Now: PK Queries

```
SELECT *
FROM PROFESSOR p,
DEPARTMENT d
WHERE p.dep = d.name
AND p.name = "Carey"
```




Soon

```
SELECT *
FROM PROFESSOR p,
DEPARTMENT d
WHERE p.dep = d.name
LIMIT 0, 10
```



Never

```
SELECT *
FROM PROFESSOR p,
DEPARTMENT d
WHERE p.dep = d.name
```



Qurk (MIT): Declarative workflow management system that allows human computation over data

(human is a part of query execution)

QURK: THE BEGINNING

Schema

celeb(name text, img url)

Query

```
SELECT c.name FROM celeb AS c WHERE isFemale(c)
```

UDF(User Defined Function) - isFemale:

```
TASK isFemale(field) TYPE Filter:
```

```
Prompt: "<table><tr> \  
        <td><img src='%s'></td> \  
        <td>Is the person in the image a woman?</td> \  
        </tr></table>", tuple[field]
```

```
YesText: "Yes"
```

```
NoText: "No"
```

```
Combiner: MajorityVote
```

ISFEMALE FUNCTION (UI)

Is the person in the image a woman?



Yes

No

JOIN

Schema

photos(img url)

Query

```
SELECT c.name FROM celeb c JOIN photos p
ON samePerson(c.img, p.img)
```

samePerson:

```
TASK samePerson(f1, f2) TYPE EquiJoin:
  SingularName: "celebrity"
  PluralName: "celebrities"
  LeftPreview: "<img src='%s' class=smImg>", tuple1[f1]
  LeftNormal: "<img src='%s' class=lgImg>", tuple1[f1]
  RightPreview: "<img src='%s' class=smImg>", tuple2[f2]
  RightNormal: "<img src='%s' class=lgImg>", tuple2[f2]
  Combiner: MajorityVote
```

JOIN – UI EXAMPLE

- # of HITS = $|R| * |S|$

Is the same celebrity in the image on the left and the image on the right?

Yes

No



JOIN – NAÏVE BATCHING

$$\# \text{ of HITs} = (|R| * |S|) / b$$

Is the same celebrity in the image on the left and the image on the right?

Yes No



Yes No



Submit

JOIN – SMART BATCHING

$$\# \text{ of HITs} = (|R| * |S|) / (r * s)$$

Find pairs of images with the same celebrity

- To select pairs, click on an image on the left and an image on the right. Selected pairs will appear in the **Matched Celebrities** list on the left.
- To magnify a picture, hover your pointer above it.
- To unselect a selected pair, click on the pair in the list on the left.
- If none of the celebrities match, check the **I did not find any pairs** checkbox.
- There may be multiple matches per page.



I did not find any pairs

Submit

Matched Celebrities

To remove a pair added in error, click on the pair in the list below.



FEATURE EXTRACTION

```
SELECT c.name FROM celeb c JOIN photos p
ON samePerson(c.img,p.img)
AND POSSIBLY gender(c.img) = gender(p.img)
AND POSSIBLY hairColor(c.img) = hairColor(p.img)
AND POSSIBLY skinColor(c.img) = skinColor(p.img)
```

TASK gender(field) TYPE Generative:

```
Prompt: "<table><tr> \
        <td><img src='%s'> \
        <td>What this person's gender? \
</table>", tuple[field]
```

```
Response: Radio("Gender",
                ["Male", "Female", UNKNOWN])
```

```
Combiner: MajorityVote
```

ECONOMICS OF FEATURE EXTRACTION

Dataset: **Table1 [20 rows]** x **Table2 [20 rows]**

Join with no filtering (Cross Product): 400 comparisons

Filtering on 1 parameter (say gender):

- +40 extra HITS
- For example: 11 females, 9 males in Table1
- 10 females, 10 males in Table2

Join after filtering: ~100 comparisons

No-Filter/Filter HITS ratio: 400/140

Decrease the number of HITS ~ **3x**

POSSIBLY FILTERS SELECTION

Gender?



POSSIBLY FILTERS SELECTION

Skin color?



POSSIBLY FILTERS SELECTION

Hair color???



QURK – MORE FEATURES: COUNTING WITH CROWD

Given a dataset of images, run queries on it (filtering, aggregation).

Images are unlabeled


No prior knowledge on distribution.

crowd-powered selectivity estimation

50%



1%



MOTIVATING EXAMPLE #1

Schema


people (name **varchar2(32)**, photo **img**)

Query

SELECT * FROM people




WHERE gender="Male" **AND** hairColor="red"

MOTIVATING EXAMPLE #1




MOTIVATING EXAMPLE #1

Filter by gender(photo) = 'male'



MOTIVATING EXAMPLE #1

Filter by hairColor(photo) = 'red'



MOTIVATING EXAMPLE #1

- **Filter by gender(photo) = 'male' , then by hairColor(photo) = 'red'**
 - First pass: 10 HITs (result – 5 photos)
 - Second pass: 5 HIT
 - Total: **15 HITs**
- **Filter by hairColor(photo) = 'red', then by gender(photo) = 'male'**
 - First pass: 10 HITs (result – 1 photo)
 - Second pass: 1 HIT
 - Total: **11 HITs**

HOW MANY MALES/FEMALES?



INTERFACE: LABELING

There are 2 people below. Please identify the gender of each.



What is the gender of this person?

male female



What is the gender of this person?

male female

Submit

INTERFACE: COUNTING

There are 10 people below. Please provide rough estimates for how many of the people have various properties.

About how many of the 10 people are male?

About how many of the 10 people are female?



Submit

ESTIMATING COUNTS

- **Can't show all the images to every user**
- **Show random sample**
 - Sampling error
 - Worker error
 - Dependent samples

COUNTING VS LABELING

Dataset: 500 images


- **Labeling**
 - 10 images per HIT (can be 5 – 20)
 - 5 workers per HIT (majority) (can be 3 – 7)
 - Total HITs = $500/10 * 5 = 250$
- **Counting**
 - 75 images per HIT (can be 50 – 150)
 - 1 worker per HIT (spammer detection algo – later)
 - Total HITs = $500/75 = 7$

x37.5 times cheaper!


AVOIDING SPAMMERS: FORMAL

- If no spammers, just average all the results
- Average the contribution of each user = F_i (really helps!)
- Initialize:
$$\hat{F} = \frac{\sum_i F_i}{N}$$
- Define:
$$\theta_i = \begin{cases} 1 - |F_i - \hat{F}|, & \text{if } |F_i - \hat{F}| < \lambda \\ 0, & \text{otherwise} \end{cases} .$$
- Iterate:
$$\hat{F} = \frac{\sum_i \theta_i \hat{F}_i}{\sum_i \theta_i} .$$
- Finally:
$$\hat{F}_{\text{final}} = \frac{\sum_{i,j} \theta_i F_{ij}}{\sum_{i,j} \theta_i} .$$


AVOIDING SPAMMERS: DEMONSTRATION



COORDINATED ATTACKS



COORDINATED ATTACKS



SOLUTION: ADD RANDOM KNOWN RESULTS



GOLD STANDARD IMAGES

Not only 1 “golden truth” task

- Each worker complete only 1-2 tasks
- Spammers can identify those tasks

But distribute “golden truth” over all tasks

Old approx.: $F = C/R$

New approx.: $F = (C-G)/(R-G)$

C – count provided by worker

R – number of items

G – number of golden truth images


TRADEOFF

can withstand extreme coordinated attacks (>70% attackers)

in exchange for commensurate number of known labels

BEST USE OF RESOURCES: HUMAN ASSISTED GRAPH SEARCH

Given a DAG and some unknown target(s)



HumanAssisted Graph Search: It's Okay to Ask Questions,

A. Parameswaran, A. D. Sarma, H. G. Molina, N. Polyzotis, j. Widom, VLDB '11

THE OBJECTIVE

Find an optimal set of questions to find the target nodes

- **Optimize cost:** Minimal # of questions
- **Optimize accuracy:** Minimal # of possible targets

Challenges

- Answer correlations (Falafel → Middle Eastern)
- Location in the graph affects information gain
(leaves are likely to get a NO)
- Asking several questions in parallel to reduce latency

PROBLEM DIMENSIONS

Single target/Multiple targets

Online/Offline

- Online: one question at a time
- Offline: pre-compute all questions
- Hybrid approach

Graph structure

IMPORTANCE OF (GOOD) UI

- Good UI – better results
- Good UI – faster results

- Bad UI – inaccurate results
- Bad UI – workers leave without completing the task

CHALLENGES

Open vs. closed world assumption

Asking the right questions

Estimating the quality of answers

Incremental processing of updates

MORE CHALLENGES

Distributed management of huge data

Processing of textual answers

Semantics

More ideas?

RESEARCH AGENDA

- Data Model/Query Language
- Query Execution/Query Optimization
- Quality Control
- Storage/Caching
- User Interfaces
- Worker Behavior/Worker Relationship Management
- Interactivity
- Platform design
- Hybrid Human/Machine algorithms

(from VLDB'11 Tutorial by Doan, Franklin, Kossman, Kraska)

TEASERS



OASSIS
Ontology Assisted Crowd Mining

CONTRIBUTE

STATISTICS

SEARCH

HELP

Hello SlavaNov!

1



| next star in 3 questions|

How often do you...

go to a place

2



eat at a restaurant



and also

Never

Rare

Sometimes

Often

Very often

4

Specify a place

Specify a restaurant

Submit

3

(1) - **User panel**. Used for logout and sh

A bit more about rating:

★ = 5 answers

★ = ★★ ★★ ★★★★★

★ = ★★ ★★ ★★ ★★ ★★

(2) - **Never go/eat there**. Used to specify not relevant for you and the system should question about this place/restaurant

(3) **Submit**. First, you should select the fr current pair and you can click on this butto

OR

(4) **Specify**. Used if you want to give a sp example. The frequency of more general q submitted.

[Got the rules, let me play!](#)

TEASERS

score
6100

 **ESP Game**
Concentrate...


time
0:14

What do you see?

taboo words

forest

meadow



Matched on: tree

guesses

tree

grass



+ submit

→ pass

TEASERS

AskIt!
Asking the Right Questions

AskIt! Admin View Statistics Logout

Progress: 5/10



[DBLP](#)

Hosagrahar V Jagadish

University of Michigan

Who does Hosagrahar V Jagadish resemble most



Kevin Spacey



David Beckham



Barack Obama

Is Hosagrahar V Jagadish theoretician or practitioner?



Theoretician



Practitioner



Both

Is Hosagrahar V Jagadish senior or junior researcher?



Senior



Junior



In between

TEASERS


Score **50**

Tag a Tune
Hear Here

Timer **1:48**

Bonus 

Describe the tune ...

 0:11   

Listening to the same tune?

↑ in a row!

your descriptions

alarm

your partner's descriptions

wierd

wierd wind instrument

alien

TEASERS

01 home 02 learned rules 03 user answers 04 answer questions 05 about



search

rules of the day

[morning -> jogging](#)

[the flu -> chicken soup](#)

academia

[Full Paper](#)

[TAU DB Group](#)

[The MoDaS Project](#)

the flu -> chicken soup

Correlation

Items correlated with *the flu* :

[garlic](#)

Items correlated with *chicken soup* :

[a cold](#)

[the flu](#)

You might find these interesting...

[Key Facts About Flu and Flu Vaccine](#)

[Scientific American - Influenza](#)

[25 Comforting Chicken Soup Recipes](#)

[Chicken Soup Scientifically Proven to Help Cure Colds](#)



CROWDPLANR

PLANNING MADE EASY WITH CROWD

BUILD ME A TRIP

CONTRIBUTE

STATISTICS

SEARCH TRIPS

HELP

Welcome, **Dennis**
(2 points)



Region: **Central Europe**

Period: **September**

Duration: **1 month**


Traveller: **2 friends**


Level: **cities**


Request: **We hired a car and want to do a series of short (one day) hikes in the Alpine scenery. We land and fly out from Milan, Italy.**

Current path:  **Canazei** -  **Meyerhofen** -  **Konigsee** - ...

Please advise the next step:

 **Interlaken, Switzerland**
[Stop at Interlaken]

 **Innsbruck, Austria**
[Stop at Innsbruck]

 **I - Add new!**

More – next week...

Questions?

REFERENCES

This presentation partially based on:

- “Counting with Crowd” slides by Adam Marcus
- Crowdsourcing tutorial from VLDB’11 by Doan, Franklin, Kossman and Kraska
- “Introduction to Crowdsourcing” slides by Tova Milo

References:

<https://users.soe.ucsc.edu/~alkis/papers/ivd.pdf>

<https://amplab.cs.berkeley.edu/wp-content/uploads/2011/06/CrowdDB-Answering-Queries-with-Crowdsourcing.pdf>

<http://db.csail.mit.edu/pubs/mturk-cameraready.pdf>